

## **Dynamic Discovery and Invocation of Web services Through Android Mobile**

D. Ravi Kumar<sup>\*</sup>, Kuna Venkata Kiran<sup>#</sup>

<sup>#</sup>Final M.Tech Student, Assistant Professor

<sup>#</sup>Department of CSE, kaushik college of engineering, Boyapalem, Visakhapatnam.

**Abstract: - In this paper we are proposing an efficient and novel architecture for dynamic invocation and discovery of web services in mobile. While we are handling with the mobile, we need to consider the resources of the mobile, these battery services are not flexible or optimal like desktops or laptops. We implemented a proxy between service and mobile client for dynamic invocation and discovery of services.**

### I. INTRODUCTION

Mobile devices have become highly popular in recent years. A computing device is usually considered a mobile device when it is small enough so that carrying it around is less effort and traditionally, this could be considered the single constraint or rule but with the considerable rise in the use of radio communications, particularly cellular phone networks and Wireless Local Area Networks (WLANs), mobile devices are typically expected to have some sort of wireless networking technology. SOAs deal with networked communication and require some sort of network access from the participants. Furthermore, mobile devices are meant to be mobile, not wired, so the focus here is specifically on mobile devices with wireless network access. For these reasons, the mobile devices discussed here will be assumed to have some sort of means for wireless networking and being able to access the Internet regardless of the underlying wireless networking technology.[1]

The question of at which point a device is small and light enough to be a mobile device clearly demonstrates the problems with the mobility criteria presented. To demonstrate the problem, modern laptop computers typically have wireless network connections and some laptops are quite small, weighing in at about 1 kg. In contrast, mobile phones and Portable Digital Assistants (PDAs) tend to weigh less than 300 grams and have wireless networking which work at maximum range of values as Small laptops are the size of large books, while mobile phones are usually smaller than pocket-sized books. Should laptops, phones and PDAs all be considered mobile devices?[2][3][4] However, one must consider that laptops, PDAs and mobile phones vary considerably in size, especially when older models are compared to current ones, and phones and PDAs offer much better standby times than laptop computers. Due to these factors, it becomes increasingly difficult to determine what are the

requirements for a mobile device, specifically since the sizes and wireless capabilities of laptops have been I developing proving, during the processing capabilities and software sophistication of mobile phones have improved significantly in recent years[5][6].

From the viewpoint of this thesis and devices with Internet connectivity are of particular interest as well as the low power requirements of battery operation and the limited processing power of smaller devices. Considering this viewpoint, the actual nature of the device is not so important, particularly since implementing SOAs demands sophisticated software capabilities. However, long standby time and good portability are key concerns to users of mobile devices and by share of the market mobile phones are the most popular devices in use today and will continue to be so for the foreseeable future. Given these considerations, this thesis focuses primarily on mobile phones, but the results and conclusions should be easily applicable to PDAs and mobile phones.[7][10].

### II. RELATED WORK

In the mobile web services domain and the resource constrained mobile devices are used as both web service clients and providers still preserving the basic web services architecture in the wireless networks, While mobile web service clients are quite common in these days and the research with providing web services from smart phones is still sparse as our mobile web service provisioning project one such Mobile Host was developed proving the feasibility of concept[11]-[14]

In this chapter, the currently used implementation techniques for SOAs are discussed. The focus is on the traditional model of Web services, using SOAP for transferring data, WSDL for describing the services and Universal Description, Discovery, and Integration (UDDI) for service discovery. In order to evaluate service description, the current status of XML schema description languages is described. The description of the traditional Web service model is augmented with a description of the REST architecture and the use of the REST model in building SOAs. The issue of underlying protocol stack is taken up with considering how Web services implementations need to interact with lower level protocols, in particular Hyper Text Transfer Protocol (HTTP).

Generally, the WSDL documents, it defines and describes a web service, consists of information specific to the location of the service (binding information) and the operations (methods) the service exposes. The web services are published by advertising these WSDL documents in a UDDI registry. The registry maintains a reference of the WSDL documents or Any other potential web service client searches for the service in the public registry and gets the description of the service and tries to access the service using the information specified by the WSDL. Since the Mobile Host is implemented on the smart phone mostly by using the basic web services architecture, the standard WSDL and UDDI registry can theoretically be used to describe and publish the services. retrieving the binding information of the mobile web services can be tricky as it needs the IP address of the Mobile Host, where the services are deployed. Different means of accessing the services deployed on the Mobile Host are observed in [16].


Mobile devices are getting more pervasive and it is becoming increasingly necessary to integrate web services into applications that run on those devices and We introduce a novel approach for dynamically invoking web service methods from mobile devices with minimal user intervention that only involves entering a search phrase and values for the method parameters as grounded. The architecture overcomes technical challenges that involve

consuming discovered services dynamically by introducing a man-in-the middle (MIM) server that provides a web service whose responsibility is to discover needed services and build the client-side proxies at runtime and the architecture moves to the MIM server energy-consuming tasks that would otherwise run on the mobile device environment Such tasks involve communication with servers over the Internet during XML-parsing of files, and on-the-fly compilation of source code.

But in a commercial environment with Mobile Hosts, and with each Mobile Host providing some services in the wireless network, the number of services expected to be published could be quite more, In such a situation, a centralized solution is not a best idea, as they can have bottlenecks and can make single points of failure. Besides, mobile networks are quite dynamic due to the node movement and Nodes can join or leave network at any time and can switch from one operator to another operator. This makes the binding information in the WSDL documents, inappropriate. Hence the services are to be republished every time the Mobile Host changes the network. This process leaves many stale advertisements in the registry. Keeping up to date information of the published mobile web services in centralized registries is really difficult.

III. PROPOSED SYSTEM

<<Soap object>>



web services are the service oriented applications, where we maintain business logic which is accessed by the clients or users remotely. Service oriented applications provides

language interoperability because it converts the native language to web service description language, here everything transmits in terms of soap object. At sender side it serializes the native language can be converted to web service description language and at the receiver end it

Deserialize in to receiver native language. Usually web services registered at UDDI(Universal Description, Discovery and Invocation) .This architecture involves service requestor, who is accessing the service. Service provider, who is providing service to the consumers. Service broker who is mediator between Provider and consumer. Here our Service consumer is a mobile client, Mobiles are not like desktops are laptops while we are developing mobiles as client ,we need the consider the resource of the device, Web service provides language interoperability, which has the capability of converting the language to native language. For implementation purpose we design the mobile client in android. For accessing the service, Initially it needs to register the service, Mobile client should know ,where the service is running and it requires to construct the soap object, which contains parameters ,Envelop and other. For continuous discovery and invocation of service ,power consumed by the mobile more ,so that is the major issue during the discovery and consuming, so that is the reason we are implementing proxy between the service and mobile client.

Proxy can be a computer or an application. In our paper it works as cache for dynamic invocation of the service. It helps the consumer to consuming the services in an efficient way. If consumer (mobile client) try to invoke the previously invoked content, client need not to process the same request again and again until a specific time. After the specified time mobile client request directly sends to the service and service update the cache and sends the response to the mobile client.

SOAs are based on loose coupling and open, transparent communication interfaces. To achieve these goals, the dominant choice for building SOAs has been the use of XML technologies for data transfer. Consequently, tool support for building SOAs must be based on XML handling capabilities , full use of XML requires the knowledge of several different data formats and specifications. However, the complex uses in data processing are most dependent on having basic XML parsing capability in order to be able to retrieve the relevant data from an XML document

#### IMPLEMENTATION DETAILS

Mobile Host is a light weight web service provider built for resource constrained devices like cellular phones and it has been developed as a web service handler built on top of a normal Web server and SOAP based web service requests sent by HTTP tunneling are diverted and

handled by the web service handler component. Android mobile version 2.3.3 is used as mobile client ,Web services are implemented in C#.net,It efficiently shows the language interoperability .

Business logic runs at specific location that can be identified by the url and which is used by the mobile client to access the business logic by forwarding the input parameters to respective url in the form of soap object, implicitly it serializes the object and converts into the web service description language again at the receiver end it converts the wsdl into receiver native language by using the deserializer, that shows the language interoperability due to wsdl.

For implementation purpose we designed an application which uses the business logic as bank common manipulations if any recent accessed information is there, it is available in cache otherwise forward the request to the server, during the reply before displaying to the user place the accessed content in cache for next time access.

#### IV. CONCLUSION

Finally our approach generates an efficient results than the traditional approaches of static and continuous discovery and invocation of web services from the mobile client. If data available in the proxy cache Mobile client need not access the service again, it reduces the consumption of the battery power of mobile phones.

#### REFERENCES

- [1] C. Aggarwal, J. Wolf, and P. Yu, "Caching on the World Wide Web," IEEE Trans. Knowledge and Data Eng., vol. 11, no. 1, pp. 94- 107, Jan./Feb. 1999.
- [2] R. Boyer and J. Moore, "A Fast String Searching Algorithm," Comm. ACM, vol. 20, pp. 762-772, 1977.
- [3] L. Breslau, P. Cao, L. Fan, G. Phillips, and S. Shenker, "Web Caching and Zipf-Like Distributions: Evidence and Implications," Proc. IEEE INFOCOM, pp. 126-134, 1999.
- [4] J. Cao, M. Andersson, C. Nyberg, and M. Kihl, "Web Server Performance Modeling Using an M/G/1/K\*PS Queue," Proc. 10<sup>th</sup> Int'l Conf. Telecomm., 2003.
- [5] Celimaris Vega Citrix Consulting, MetaFrame XP Oracle 11i Application Scalability Analysis, <http://support.citrix.com/article/CTX101887>, 2002.
- [6] A. Chakravarti, G. Baumgartner, and M. Lauria, "The Organic Grid: Self-Organizing Computation on a Peer-to-Peer Network," IEEE Trans. Systems, Man, and Cybernetics, vol. 35, no. 3, pp. 373- 384, May 2005.

- [7] M. Chatti, S. Srirama, D. Kensche, and Y. Cao, "Mobile Web Services for Collaborative Learning," Proc. IEEE Int'l Workshop Wireless Mobile and Ubiquitous Technology in Education, pp.129-133, Nov. 2006.
- [8] CodePlex, ProxyFactory Home Page, [www.codeplex.com/ProxyFactory](http://www.codeplex.com/ProxyFactory), 2011.
- [9] R. Costello, "Building Web Services the REST Way," <http://www.xfront.com/REST-Web-Services.html>, 2011.
- [10] G. Dattatreya, Performance Analysis of Queuing and Computer Networks. CRC Press, 2008.
- [11] I. Duda, M. Aleksy, and T. Butter, "Architectures for Mobile Device Integration into Service-Oriented Architectures," Proc. Int'l Conf. Mobile Business (ICMB '05), 2005.
- [12] R. Fielding and R. Taylor, "Principled Design of the Modern Web Architecture," ACM Trans. Internet Technology, vol. 2, no. 2, pp. 115-150, 2002.
- [13] J. Flinn and M. Satyanarayanan, "PowerScope: A Tool for Profiling the Energy Usage of Mobile Applications," Proc. IEEE Second Workshop Mobile Computer Systems and Applications, p. 2, 1999.
- [14] G. Gehlen and L. Pham, "Mobile Web Services for Peer-to-Peer Applications," Proc. IEEE Conf. Consumer Comm. and Networking, pp. 427-433, Jan. 2005.
- [15] GeoTrust Corp, <http://www.geotrust.com/enterprise-scertificates/> georoot, 2011.
- [16] X. Gu and K. Nahrstedt, "On Composing Stream Applications in Peer-to-Peer Environments," IEEE Trans. Parallel and Distributed Systems, vol. 17, no. 8, pp. 824-837, Aug. 2006.
- [17] V. Gupta, "Finding the Optimal Quantum Size: Sensitivity Analysis of the M/G/1 Round-Robin Queue," ACM SIGMETRICS Performance Evaluation Rev., vol. 36, pp. 104-106, 2008.
- [18] A. Halteren and P. Pawar, "Mobile Service Platform: A Middleware for Nomadic Mobile Service Provisioning," Proc. IEEE Int'l Conf. Wireless and Mobile Computing, Networking and Comm. (WIMOB), 2006.
- [19] R. Heffner, "SOAP versus REST: A Comparison," <http://www.forrester.com/research/document/excerpt/0,7211,35361,00.html>, 2011.
- [20] C. King, "Securing the Wireless Internet Using Kilobyte'SSL," <http://www.sun.com/bigadmin/content/developer/howtos/kssl.html>, 2011.
- [21] L. Kleinrock, "Time-Shared Systems: A Theoretical Treatment," J. ACM, vol. 14, pp. 242-261, 1967.
- [22] J. Kurose and K. Ross, "Computer Networks and the internet," Computer Networking: A Top-Down Approach, fourth ed., Pearson Education Int'l, 2008.
- [23] R. Lee and R. Nathuji, "Power and Performance Analysis of PDA Architectures," technical report, MIT, [http://www.cag.lcs.mit.edu/6.893-f2000/project/lee\\_final.pdf](http://www.cag.lcs.mit.edu/6.893-f2000/project/lee_final.pdf), Dec. 2000.
- [24] L. Li, M. Li, and X. Cui, "The Study on Mobile Phone-Oriented Application Integration Technology of

Web Services," Proc. Int'l Conf. Grid and Cooperative Computing (GCC), Apr. 2004.

#### BIOGRAPHIES



D. Ravikumar pursuing M.Tech in kaushik college of engineering ,Boyapalem,Visakhaptnam.,Andhra Pradesh, India. His interested in networks.



Kuna venkata kiran Assistant Professor in the department of CSE Avanthi Institute Of Engineering And Technology His B.Tech from MVGR college and M.Tech from Nagarjuna University. He is working as Assistant professor in Computer Science &Engineering department in

Department of CSE, Pydah college of Engineering ,Boyapalem,Visakhaptnam.,Andhra Pradesh, India. His interested in networking(IP configuration).